

Exam 2012

Mathematics for Multimedia Applications
AAU-Cph, Medialogy

4. June 2012

Formalities

This exam set consists of 5 pages, in which there are 9 problems in total. You are allowed to use books, notes etc. You are *not* allowed to use electronic devices such as calculators, computers or cell phones.

A number of points is indicated for every sub-problem. The sum of these points equals 100.

Date and time for the exam: 4. June, 9:00 - 13:00

You must indicate the following on each page:

- Full name
- Study number
- Page number

On the first page, you must indicate

- The total number of pages.

Good luck!

Problems

Problem 1.

- 1.a. (3 points) Differentiate the function $f(x) = e^{-2x} + 5e^{3x}$.
- 1.b. (3 points) Differentiate the function $g(x) = \ln(x^2 + 1)$.
- 1.c. (3 points) Differentiate the function

$$h(x) = \frac{\sin(x)}{x^2}, \quad x \neq 0.$$

Problem 2. (5 points)

Prove that the following trigonometric identity holds:

$$\cos(\alpha) \cos(\beta) = \frac{1}{2}(\cos(\alpha - \beta) + \cos(\alpha + \beta)).$$

Hint: Start with the right hand side of the equation. Use the trigonometric addition formulas.

Problem 3.

- 3.a. (3 points) Calculate the sum

$$\sum_{i=1}^4 (2i - 5)^2.$$

- 3.b. (4 points) Calculate the sum

$$\sum_{i=1}^{100} (2i + 1).$$

Problem 4. In this problem, the following values of the sine and cosine functions may be useful:

z	$-\pi/2$	$-\pi/4$	0
$\sin(z)$	-1	-0.71	0
$\cos(z)$	0	0.71	1

Let $f(x) = \cos(2x)$ and $g(x) = x^3 + 1$.

4.a. (4 points) Find antiderivatives F and G for f and g .

4.b. (3 points) Evaluate the integrals $\int_{-\pi/4}^0 f(x)dx$ and $\int_0^2 g(x)dx$.

Let

$$h(x) = \begin{cases} f(x) & \text{if } x < 0 \\ g(x) & \text{if } x \geq 0 \end{cases}$$

where f and g are given as above.

4.c. (3 points) Sketch the graph of $h(x)$ on the interval from $-\pi/4$ to 2 .

4.d. (3 points) What is $\int_{-\pi/4}^2 h(x)dx$? What is $\int_{-\pi/4}^2 4h(x)dx$?

The following values of a function $v(t)$ are observed:

t	-2	0	2	4	6
$v(t)$	3	1	3	9	19

4.e. (3 points) Sketch the graph of $v(t)$.

4.f. (5 points) Compute an approximate value of $\int_{-2}^6 v(t)dt$ using the trapezoidal approximation.


Problem 5. Let P , Q and R be three points in 3D-space. P has coordinates $(-1, 2, 5)$, Q has coordinates $(0, 2, 7)$ and R has coordinates $(2, 1, 10)$.

- 5.a. (2 points) Find \overrightarrow{PQ} and \overrightarrow{PR} .
- 5.b. (3 points) Compute the cross product $\overrightarrow{PQ} \times \overrightarrow{PR}$.
- 5.c. (3 points) Find the area of the triangle with vertices P , Q and R .
- 5.d. (2 points) Find a unit vector which is perpendicular to both \overrightarrow{PQ} and \overrightarrow{PR} .
- 5.e. (3 points) Find an equation for the plane through P , Q and R .

Problem 6. A parametric curve is given by the following vector function:

$$\vec{r}(t) = (\cos(t), \sin(t), \sin(8t)).$$

Here is a plot of the curve when t runs from 0 to 2π :



- 6.a. (3 points) Compute the velocity vector $\vec{v}(t)$.
- 6.b. (3 points) Compute the acceleration vector $\vec{a}(t)$.
- 6.c. (2 points) Find $\vec{r}(0)$ and $\vec{v}(0)$.
- 6.d. (3 points) Find parametric equations for the tangent line to the curve at the point with position vector $\vec{r}(0)$.

Problem 7. Consider the following system of linear equations:

$$x_1 + 2x_2 + 3x_3 = 2$$

$$3x_2 - x_3 = 0$$

$$2x_1 + x_2 + 7x_3 = 4$$

- 7.a. (2 points) Is $x_1 = -9$, $x_2 = 1$, $x_3 = 3$ a solution to the system? Why/why not?
- 7.b. (2 points) Find the augmented matrix of the system.
- 7.c. (3 points) Find a row echelon form of the augmented matrix.
- 7.d. (3 points) Find the reduced row echelon form of the augmented matrix.
- 7.e. (4 points) Write down the general solution to the system.
- 7.f. (3 points) Find a solution to the system which has $x_3 = 6$.

Problem 8. Define three matrices as follows:

$$A = \begin{bmatrix} 2 & 7 & -1 \\ 3 & 2 & 1 \end{bmatrix}, \quad B = \begin{bmatrix} 1 & 2 \\ 1 & 0 \\ 1 & -1 \end{bmatrix}, \quad C = \begin{bmatrix} 5 & 2 \\ 2 & 1 \end{bmatrix}$$

- 8.a. (3 points) Compute the matrix product AB .
- 8.b. (2 points) Compute $A^T + B$.
- 8.c. (3 points) Find $B^T A^T$.
- 8.d. (3 points) Compute C^{-1} .

Problem 9. Consider the unit square with vertices $(0,0)$, $(1,0)$, $(0,1)$, $(1,1)$ in an (x,y) -coordinate system. Sketch the image of this square under the following matrix transformations:

- 9.a. (2 points) $T\left(\begin{bmatrix} x \\ y \end{bmatrix}\right) = \begin{bmatrix} 2 & 0 \\ 0 & 3 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$.
- 9.b. (2 points) $T\left(\begin{bmatrix} x \\ y \end{bmatrix}\right) = \begin{bmatrix} 3 & 1 \\ 0 & 2 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$.
- 9.c. (2 points) $T\left(\begin{bmatrix} x \\ y \end{bmatrix}\right) = \begin{bmatrix} 2 & 4 \\ 1 & 2 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$.